


Katalaog kozmetološko-dermatološke opreme **Medica Centar Oprema**

Novosadska 1, Niš, Srbija, 064-2951-004 i 018-249-178

Model	Tehničke karakteristike	Slika	Cena (Euro)
RL-808B	<p>Portabl diodni laser za trajnu epilaciju talasne dužine 808 nm. Snaga 600 W, dimenzije pulsnog prozora 12x12 mm, B32 kvadratnom, vazdušno i vodeno hlađenje, podesivo hlađenje hendpisa u 5 nivoa, laserska dioda sa 10 bara Made in Germany, garancija na diodu 2 miliona impulsa, garancija na aparat 12 meseci. Mnoštvo podesivih parametara na 8 inča tač skrin panelu. Težina aparata 25 kg.</p>		4700

RL-808A	<p>Vertikalni diodni laser za trajnu epilaciju talasne dužine 808 nm sa pojačanim rashladnim sistemom. Snaga 600 W, dimenzije pulsnog prozora 12x12 mm, trajanje pulsa od 10 do 400 ms, radna frekvencija od 1-10 Hz, energija po jednom pulsu 1-200 J/cm kvadratnom, vazdušno i vodeno hlađenje, podesivo hlađenje hendpisa u 5 nivoa, laserska dioda sa 10 bara Made in Germany, garancija na diodu 2 miliona impulsa, garancija na aparat 12 meseci. Mnoštvo podesivih parametara na 10 inča tač skrin panelu. Težina aparata 40 kg.</p>		5000
---------	---	---	------

RL-IR	<p>Portabl ND Yag Q-switch laser talasne dužine 1064 i 532 nm za uklanjanje tetovaža, pega, staračkih pega, kapilara i diskoloracija kože. Maksimalna snaga 2000 mJ po impulsu, podesiva frekvencija rada od 1-10 Mhz, trajanje impulsa 10 ns, pomoćni laser crvene ili zelene boje. Dimezija spota fiksna, 3mm. Prametri podesivi na 4 inča tač skrin panelu. Težina 10 kg.</p>		1200
-------	--	--	------

RL-A05	<p>Vertikalni ND Yag Q-switch laser talasne dužine 1064 i 532 nm za uklanjanje tetovaža, pega, staračkih pega. kapilara i diskoloracija kože sa pojačanim rashladnim sistemom. Maksimalna snaga 2000 mJ po impulsu, podesiva frekvencija rada od 1-10 Mhz, trajanje impulsa 10 ns, pomoćni laser crvene ili zelene boje. Dimezija spota fiksna, 3mm. Parametri podesivi na 8 inča tač skrin panelu. Težina 25 kg.</p>	 A vertical, white and blue laser treatment machine. It features a control panel on the front with a small screen at the top, a red emergency stop button, and a blue handpiece. The machine is mounted on four wheels and has a flexible grey hose connected to the side.	2000
--------	---	--	------

RL-A06	<p>Portabl ND Yag Q-switch laser talasne dužine 1064 i 532 nm za uklanjanje tetovaža, pega, staračkih pega, kapilara i diskoloracija kože. Maksimalna snaga 2000 mJ po impulsu, podesiva frekvencija rada od 1-10 Mhz, trajanje impulsa 10 ns, pomoćni laser crvene ili zelene boje. Dimezija spota fiksna, 3mm. Prametri podesivi na 8 inča tač skrin panelu. Težina 15 kg.</p>	 A white, portable laser device with a touchscreen control panel on top. The panel displays various settings and icons. To the right of the panel is a handpiece with a yellow tip. A grey corrugated hose is connected to the bottom of the device. The device has a perforated grille on the front side.	1700
--------	--	--	------

RL-B01	<p>Vertikalna SHR OPT mašina trajnu epilaciju i fotorejuvenaciju. Mnoštvo podesivih parametara na 8 inča tač skrín panelu. Podesiva energija impulsa od 1 do 50 J, podesivo trajanje impulsa podesivo od 1-15 ms, maksimalna frekvencija impulsa 10 Hz. Vazdušno i vodeno hlađenje, semikondukter hlađenje hendpisa. Težina 30 kg.</p>	 A white, vertical medical device, likely a laser or IPL machine for skin treatments. It features a control panel at the top with a color LCD screen displaying various settings and a red emergency stop button. A handpiece is attached to the top left. The device is mounted on a base with four casters for mobility and has a carrying handle on the right side.	1500
--------	--	---	------

RL-B02	<p>Portabl E-Light mašina za trajnu epilaciju i fototerapiju kombinacijom IPL ili E-Light (elektro-light) metode korišćenjem 480nm, 560, 640 i 750 nm filtera. Mnoštvo podesivih parametara na 8 inča tač skrin panelu. Podesiva energija impulsa od 1 do 50 J, podesivo trajanje impulsa podesivo od 1-15 ms, maksimalna frekvencija impulsa 10 Hz. Vazdušno i vodeno hlađenje, semikondukter hlađenje hendpisa u 5 nivoa. Težina 20 kg.</p>	 A portable E-Light IPL machine with a control panel and a handpiece. The machine is white and black, with a control panel on top and a handpiece attached to the side. The control panel has a red emergency stop button and a key. The handpiece is white and has a blue light window. The machine has a cooling fan on the side and a power cord.	1900
--------	---	---	------


RL-B04	<p>Portabl E-Light mašina za trajnu epilaciju i fototerapiju kombinacijom IPL ili E-Light metode korišćenjem 480nm, 560, 640 i 750 nm filtera. Mnoštvo podesivih parametara na 8 inča tač skrin panelu. Podesiva energija impulsa od 1 do 50 J, podesivo trajanje impulsa podesivo od 1-15 ms, maksimalna frekvencija impulsa 10 Hz. Vazdušno i vodeno hlađenje, semikondukter hlađenje hendpisa u 5 nivoa. Težina 20 kg.</p>		1900
--------	---	--	------

RL-B07	<p>Portabl E-Light mašina za trajnu epilaciju i fototerapiju kombinacijom IPL ili E-Light metode korišćenjem 480nm, 560, 640 i 750 nm filtera. Mnoštvo podesivih parametara na 10 inča tač skrin panelu. Podesiva energija impulsa od 1 do 50 J, podesivo trajanje impulsa podesivo od 1-15 ms, maksimalna frekvencija impulsa 10 Hz. Vazdušno i vodeno hlađenje, semikondkter hlađenje hendpisa u 5 nivoa. Težina 20 kg.</p>	 A white, portable E-Light IPL machine. It features a large touchscreen control panel on top, displaying various settings and icons. Below the screen are several physical buttons and a power switch. A handpiece is attached to the side of the machine via a cable. The machine has a power cord plugged into the front. The overall design is sleek and professional.	2000
--------	---	---	------

RL-C02	<p>Portabl E-Light mašina sa 2 hednpisa za trajnu epilaciju i fototerapiju kombinacijom IPL ili E-Light metode korišćenjem 480nm, 560, 640 i 750 nm filtera. Mnoštvo podesivih parametara na 8 inča tač skrin panelu. Jedan handpis je standardnom dimenzijom prozora, a drugi je sa mallim dimenzija za manje regije poput nausnica brade, ušiju i sl. Podesiva energija impulsa od 1 do 50 J, podesivo trajanje impulsa podesivo od 1-15 ms, maksimalna frekvencija impulsa 10 Hz. Vazdušno i vodeno hlađenje, semikondukter hlađenje hendpisa u 5 nivoa. Težina 25 kg.</p>	<p>2IN1 HR+SR</p>  <p>CE</p>	2400
--------	---	---	------

RL-C09	<p>Picosecond laser talasne dužine 1064, 755 i 532 nm za uklanjanje tetovaža, pega, staračkih pega, kapilara i diskoloracija kože. Maksimalna snaga 2000 mJ po impulsu, podesiva frekvencija rada od 1-10 Mhz, trajanje impulsa 1 ns do 50 ps, pomoćni laser crvene ili zelene boje. Vodeno i vazdušno hlađenje. Dimezija spota promenljiva, od 1 do 10 mm. Sedmozglobna ruka sa protivtegom. Parametri podesivi na 10 inča tač skrin panelu. Težina 60 kg.</p>	 A professional-grade picosecond laser machine. It features a black main body with blue accents on the top and side. A control panel with a touchscreen is located on the front. A long, blue, articulated handpiece is mounted on top of the machine. The machine is designed for dermatological treatments.	8000
--------	---	--	------


RL-C10	<p>Picosecond laser talasne dužine 1064, 755 i 532 nm za uklanjanje tetovaža, pega, staračkih pega, kapilara i diskoloracija kože. Maksimalna snaga 2000 mJ po impulsu, podesiva frekvencija rada od 1-10 Mhz, trajanje impulsa 1 ns do 50 ps, pomoćni laser crvene ili zelene boje. Vodeno i vazdušno hlađenje. Dimezija spota promenljiva, od 1 do 10 mm. Prametri podesivi na 8 inča tač skrin panelu. Težina 25 kg.</p>	 A red and black Cynosure picosecond laser machine. The machine has a red front panel with a control panel featuring a screen and several buttons. A handpiece is attached to the top of the machine. The brand name 'CYNOSURE' is visible on the front panel.	2500
--------	---	--	------

RL-F01	<p>IPL, E-Light, RF i ND yag laser mašina, 3 u 1, za RF lifting, trajnu epilaciju, fototerapiju i tretman tetovaža i diskoloracija kože. ND Yag Q-switch laser talasne dužine 1064 i 532 nm. Maksimalna snaga 2000 mJ po impulsu, podesiva frekvencija rada od 1-10 Mhz, trajanje impulsa 10 ns, pomoćni laser crvene ili zelene boje. Dimezija spota fiksna, 3mm. E-Light i IPL sekcija funkcionišu korišćenjem 480nm, 560, 640 i 750 nm filtera. RF sekcija radi na 1-50 J, RF hendis ima 3 nastavka, 20, 28 i 35mm, maksimalna frekvencija 6Hz. Vodeno-vazdušno hlađenje. Hlađenje RF i E-Light hendpisa semikonduktersko u 5 nivoa. Prametri podesivi na 4,3 i 8 inča tač skrin panelima. Težina 45 kg.</p>	 A white and grey medical laser machine, likely a combination IPL, E-Light, and RF device. It features two control panels with digital displays and buttons. Two treatment handpieces are connected to the front of the machine. The machine is on wheels and has a sleek, modern design.	3000
--------	---	--	------

RL-D01	<p>Vertikalna RF i SHR OPT mašina trajnu epilaciju, fotorejuvenaciju i lifting tretmane. Mnoštvo podesivih parametara na 8 inča tač skrin panelu. Podesiva energija impulsa od 1 do 50 J, podesivo trajanje impulsa podesivo od 1-15 ms, maksimalna frekvencija impulsa 10 Hz. RF sekcija radi na 1-50 J, RF hendpis ima 3 nastavka, 20, 28 i 35mm, maksimalna frekvencija 6Hz. Vazdušno i vodeno hlađenje, semikonduktler hlađenje hendpisa u 5 nivoa. Težina 35 kg.</p>		2500
--------	---	--	------


RL-D03	<p>Portabl RF i SHR OPT mašina trajnu epilaciju, fotorejuvenaciju i lifting tretmane. Mnoštvo podesivih parametara na 6 inča tač skrin panelu. Podesiva energija impulsa od 1 do 50 J, podesivo trajanje impulsa podesivo od 1-15 ms, maksimalna frekvencija impulsa 10 Hz. RF sekcija radi na 1-50 J, RF hendpis ima 3 nastavka, 20, 28 i 35mm, maksimalna frekvencija 6Hz. Vazdušno i vodeno hlađenje, semikondukter hlađenje hendpisa u 5 nivoa. Težina 25 kg.</p>		2200
--------	---	---	------

RL-E03	<p>IPL, E-Light i ND yag laser mašina, 2 u 1, za trajnu epilaciju, fototerapiju i tretman tetovaža i diskoloracija kože. ND Yag Q-switch laser talasne dužine 1064 i 532 nm. Maksimalna snaga 2000 mJ po impulsu, podesiva frekvencija rada od 1-10 Mhz, trajanje impulsa 10 ns, pomoćni laser crvene ili zelene boje. Dimezija spota fiksna, 3mm. E-Light i IPL sekcija funkcionišu korišćenjem 480nm, 560, 640 i 750 nm filtera. Vodeno-vazdušno hlađenje. Hlađenje RF i E-Light hendpisa semikonduktersko u 5 nivoa. Prametri podesivi na 6 inča tač skrin panelu. Težina 25 kg.</p>		2600
--------	---	---	------

RL-F02	<p>IPL, E-Light, RF i ND yag laser mašina, 3 u 1, za RF lifting, trajnu epilaciju, fototerapiju i tretman tetovaža i diskoloracija kože. ND Yag Q-switch laser talasne dužine 1064 i 532 nm. Maksimalna snaga 2000 mJ po impulsu, podesiva frekvencija rada od 1-10 Mhz, trajanje impulsa 10 ns, pomoćni laser crvene ili zelene boje. Dimezija spota fiksna, 3mm. E-Light i IPL sekcija funkcionišu korišćenjem 480nm, 560, 640 i 750 nm filtera. RF sekcija radi na 1-50 J, RF hendpisa ima 3 nastavka, 20, 28 i 35mm, maksimalna frekvencija 6Hz. Vodeno-vazdušno hlađenje. Hlađenje RF i E-Light hendpisa semikonduktersko u 5 nivoa. Prametri podesivi na 10 inča tač skrin panelu. Težina 45 kg.</p>		3000
--------	--	--	------

RL-J01	<p>HIFU face and body shape machine, sa 5 kertridža fokusa od 1,5 do 5mm dubine. Svi parametri podesivi na 12 inča tačskrin panelu. 12 tačaka po liniji, dužina linije podesiva od 5 do 50mm, maksimalna energija po tačci 2J. Težina 10 kg.</p>	 A white HIFU face and body shape machine on a cart. The machine has a control panel with a screen displaying a face and various settings. The cart has three drawers and the HIFU logo on the side.	2300
--------	--	---	------

RL-J03	<p>HIFU mašina za Femilift tremane sužavanja vagine i tretman stres inkontinencije sa 2 kertridža fokusa od 3,5 i 4,5mm dubine. Svi parametri podesivi na 6 inča tačskrin panelu, 12 tačaka po liniji, dužina linije podesiva od 5 do 25 mm, autorotacija hendpisa, maksimalna energija po tački 2J. Težina 6 kg.</p>	 A white HIFU machine on a cart with a control panel and a handpiece. The machine is on a four-wheeled cart. The control panel is on top, and the handpiece is connected to the side. The brand name 'HIFONIC' is visible on the front panel.	2100
--------	---	--	------

RL-J06	<p>HIFU face and body shape + Femilift tretman mašina za sužavanje vagine i tretman stres inkontencije, sa 7 kertridža fokusa od 1,5 do 5mm dubine + 3,5 i 4,5 mm za Femilift tretmane. Svi parametri podesivi na 12 inča tačkrin panelu. 12 tačaka po liniji, dužina linije podesiva od 5 do 50 mm i 5 do 25 mm, maksimalna energija po tački 2J, autorotacija vaginalnog hendpisa. Težina 13 kg.</p>		2700
--------	--	--	------

RL-K01	<p>Frakcioni CO2 laser snage 40 W sa sedmozglobnom rukom i mnoštvom akcesorija za malu hirurgiju u ablativnom i frakcionom modu rada. Primenljiv u kozmetologiji, ginekologiji i hirurgiji za procedure kao što je Femilift sužavanje vagine i tretman stres inkontinencije, lečenje kožnih tumora, lifting lica i tela. Aparat poseduje sedmozglobnu ruku, 8 inča tač skrin panel, 4 moda rada, hirurški, ginekološki, frakcioni i superpulsni tj ablativni. Podesivi parametri poput dimezija spota, broja tačaka, vreme trajanja ekspozicije, površina radnog polja. Hlađenje vazdušno-vodeno. Težina 30 kg.</p>	 A white and purple medical laser device on wheels. It features a control panel with a small screen and several buttons. A handpiece is attached to the top via a long, flexible tube. The device is mounted on a base with four wheels.	6200
--------	---	---	------

RL-K02	<p>Frakcioni CO2 laser snage 40 W sa sedmozglobnom rukom i mnoštvom akcesorija za malu hirurgiju u ablativnom i frakcionom modu rada. Primenljiv u kozmetologiji, ginekologiji i hirurgiji za procedure kao što je Femilift sužavanje vagine i tretman stres inkontinencije, lečenje kožnih tumora, lifting lica i tela. Aparat poseduje sedmozglobnu ruku, 6 inča tač skrin panel, 4 moda rada, hirurški, ginekološki, frakcioni i superpulsni tj ablativni. Podesivi parametri poput dimezija spota, broja tačaka, vreme trajanja ekspozicije, površina radnog polja. Hlađenje vazdušno-vodeno. Težina 20 kg.</p>		5200
--------	---	--	------

<p>P-Mix</p>	<p>Portabl triple wave diodni laser Alexandrite za trajnu epilaciju i fototerapiju. Talasne dužine 755nm, 808nm i 1064. Izlazna snaga 600 W, dimenzija prozora 12x24mm, trajanje pulsa od 10 do 400 ms, radna frekvencija od 1-10 Hz, energija po jednom pulsu 1-200 J/cm, semikondukter hlađenje hendpisa u 5 nivoa, 12 bara u laserskoj diodi za svaku talasnu dužinu po 4, dejstvo bar dioda jednovremeno/sinhrono, hlađenje vodeno-vazdušno, mnoštvo parametara podesivo na 10 inča tačskrin panelu. Težina 30 kg.</p>		<p>7500</p>
--------------	--	--	-------------

Cene aparata su iskazane u Eurima. U cenu aparata je uračunata carina, porez i transportni troškovi do adrese kupca, uključujući instalaciju, probni rad i edukaciju u trajanju od 3 školska časa po aparatu.

Aparati se uvoze sa dozvolom ALIMs-a, imaju garanciju od 12 meseci i obezbeđenu servisnu podršku.